






海峰模架
Haifeng Mould Base





大水口系统
SIDE GATE SYSTEM




大水口系统模架
SIDE GATE SYSTEM MOULD BASE


订货名称 How to Order :




AI




BI




CI




DI




AH




BH




CH




DH




AT



BT



CT



DT



海峰模架
Haifeng Mould Base


大水口系统
SIDE GATE SYSTEM

面板宽度/Plate With	PW
直身模/H-Type	150
工字模/I-Type	200


标准方铁/Spacer Block	60
加高方铁/Higher Spacer Block	70

AB板厚度/AB Plate Thickness				
25	30	35	40	50
60	70	80		


吊环丝孔/Eyebolt	M12
--------------	-----




AI



BI




CI




DI


1515



1518



1520





海峰模架
Haifeng Mould Base


大水口系统
SIDE GATE SYSTEM

面板宽度/Plate With	PW
直身模/H-Type	150
工字模/I-Type	200


标准方铁/Spacer Block	60
加高方铁/Higher Spacer Block	70

AB板厚度/AB Plate Thickness				
25	30	35	40	50
60	70	80		


吊环丝孔/Eyebolt	M12
--------------	-----




AI



BI




CI




DI


1523



1525



1530





海峰模架
Haifeng Mould Base


大水口系统
SIDE GATE SYSTEM

面板宽度/Plate With	PW
直身模/H-Type	180
工字模/I-Type	230


标准方铁/Spacer Block	60
加高方铁/Higher Spacer Block	80

AB板厚度/AB Plate Thickness				
25	30	35	40	50
60	70	80		


吊环丝孔/Eyebolt	M12
--------------	-----




AI



BI




CI




DI


1818



1820



1823





海峰模架
Haifeng Mould Base


大水口系统
SIDE GATE SYSTEM

面板宽度/Plate With	PW
直身模/H-Type	180
工字模/I-Type	230


标准方铁/Spacer Block	60
加高方铁/Higher Spacer Block	80

AB板厚度/AB Plate Thickness				
25	30	35	40	50
60	70	80		


吊环丝孔/Eyebolt	M12
--------------	-----




AI



BI




CI




DI


1825



1830



1835





海峰模架
Haifeng Mould Base


大水口系统
SIDE GATE SYSTEM

面板宽度/Plate With	PW
直身模/H-Type	200
工字模/I-Type	250


标准方铁/Spacer Block	70
加高方铁/Higher Spacer Block	90

AB板厚度/AB Plate Thickness				
25	30	35	40	50
60	70	80	90	100


吊环丝孔/Eyebolt	
2020-2035/M12	
2040-2045/M16	




AI



BI




CI




DI

2030



2035





海峰模架
Haifeng Mould Base


大水口系统
SIDE GATE SYSTEM

面板宽度/Plate With	PW
直身模/H-Type	200
工字模/I-Type	250


标准方铁/Spacer Block	70
加高方铁/Higher Spacer Block	90

AB板厚度/AB Plate Thickness				
25	30	35	40	50
60	70	80	90	100


吊环丝孔/Eyebolt	
2020-2035/M12	
2040-2045/M16	




AI



BI




CI




DI

2040



2045





海峰模架
Haifeng Mould Base


大水口系统
SIDE GATE SYSTEM

面板宽度/Plate With	PW
直身模/H-Type	230
工字模/I-Type	280


标准方铁/Spacer Block	80
加高方铁/Higher Spacer Block	100

AB板厚度/AB Plate Thickness				
25	30	35	40	50
60	70	80	90	100


吊环丝孔/Eyebolt	M16
--------------	-----




AI



BI




CI




DI


2323



2325



2327





海峰模架
Haifeng Mould Base


大水口系统
SIDE GATE SYSTEM

面板宽度/Plate With	PW
直身模/H-Type	230
工字模/I-Type	280


标准方铁/Spacer Block	80
加高方铁/Higher Spacer Block	100

AB板厚度/AB Plate Thickness				
25	30	35	40	50
60	70	80	90	100


吊环丝孔/Eyebolt	M16
--------------	-----




AI



BI




CI




DI


2330



2335



2340





海峰模架
Haifeng Mould Base


大水口系统
SIDE GATE SYSTEM

面板宽度/Plate With	PW
直身模/H-Type	250
工字模/I-Type	300


标准方铁/Spacer Block	80
加高方铁/Higher Spacer Block	100/120

AB板厚度/AB Plate Thickness					
30	35	40	50	60	70
80	90	100	110	120	


吊环丝孔/Eyebolt	M16
--------------	-----




AI



BI




CI




DI


2525



2527



2530





海峰模架
Haifeng Mould Base


大水口系统
SIDE GATE SYSTEM

面板宽度/Plate With	PW
直身模/H-Type	250
工字模/I-Type	300


标准方铁/Spacer Block	80
加高方铁/Higher Spacer Block	100/120

AB板厚度/AB Plate Thickness					
30	35	40	50	60	70
80	90	100	110	120	


吊环丝孔/Eyebolt	M16
--------------	-----




AI



BI




CI





DI

2535



2540





海峰模架
Haifeng Mould Base


大水口系统
SIDE GATE SYSTEM

面板宽度/Plate With	PW
直身模/H-Type	250
工字模/I-Type	300


标准方铁/Spacer Block	80
加高方铁/Higher Spacer Block	100/120

AB板厚度/AB Plate Thickness					
30	35	40	50	60	70
80	90	100	110	120	


吊环丝孔/Eyebolt	M16
--------------	-----




AI



BI




CI





DI

2545



2550





海峰模架
Haifeng Mould Base


大水口系统
SIDE GATE SYSTEM

面板宽度/Plate With	PW
直身模/H-Type	270
工字模/I-Type	320


标准方铁/Spacer Block	80
加高方铁/Higher Spacer Block	100/120

AB板厚度/AB Plate Thickness					
30	35	40	50	60	70
80	90	100	110	120	


吊环丝孔/Eyebolt	M16
--------------	-----




AI



BI




CI




DI


2730



2735



2740





海峰模架
Haifeng Mould Base


大水口系统
SIDE GATE SYSTEM

面板宽度/Plate With	PW
直身模/H-Type	290
工字模/I-Type	350


标准方铁/Spacer Block	90
加高方铁/Higher Spacer Block	100/120

AB板厚度/AB Plate Thickness					
30	35	40	50	60	70
80	90	100	110	120	


吊环丝孔/Eyebolt	M16
--------------	-----




AI



BI




CI




DI


2930



2935



2940





大水口系统

SIDE GATE SYSTEM



海峰模架
Haifeng Mould Base


大水口系统
SIDE GATE SYSTEM

面板宽度/Plate With	PW
直身模/H-Type	300
工字模/I-Type	350


标准方铁/Spacer Block	90
加高方铁/Higher Spacer Block	100/120

AB板厚度/AB Plate Thickness					
35	40	50	60	70	80
90	100	110	120	130	


吊环丝孔/Eyebolt	M24
--------------	-----




AI



BI




CI





DI

3055



3060





海峰模架
Haifeng Mould Base


大水口系统
SIDE GATE SYSTEM

面板宽度/Plate With	PW
直身模/H-Type	330
工字模/I-Type	400


标准方铁/Spacer Block	90
加高方铁/Higher Spacer Block	100/120

AB板厚度/AB Plate Thickness					
35	40	50	60	70	80
90	100	110	120	130	


吊环丝孔/Eyebolt	M20
--------------	-----




AI



BI




CI





DI

3335



3340





海峰模架
Haifeng Mould Base


大水口系统
SIDE GATE SYSTEM

面板宽度/Plate With	PW
直身模/H-Type	330
工字模/I-Type	400


标准方铁/Spacer Block	90
加高方铁/Higher Spacer Block	100/120

AB板厚度/AB Plate Thickness					
35	40	50	60	70	80
90	100	110	120	130	


吊环丝孔/Eyebolt	M20
--------------	-----




AI



BI




CI





DI

3345



3350





海峰模架
Haifeng Mould Base


大水口系统
SIDE GATE SYSTEM

面板宽度/Plate With	PW
直身模/H-Type	350
工字模/I-Type	400


标准方铁/Spacer Block	100
加高方铁/Higher Spacer Block	120/150

AB板厚度/AB Plate Thickness					
40	50	60	70	80	90
100	110	120	130	140	150


吊环丝孔/Eyebolt	
3535-3540/M20	
3545-3570/M24	




AI



BI




CI




DI


3535



3540



3545





海峰模架
Haifeng Mould Base


大水口系统
SIDE GATE SYSTEM

面板宽度/Plate With	PW
直身模/H-Type	350
工字模/I-Type	400


标准方铁/Spacer Block	100
加高方铁/Higher Spacer Block	120/150

AB板厚度/AB Plate Thickness					
40	50	60	70	80	90
100	110	120	130	140	150


吊环丝孔/Eyebolt	
3535-3540/M20	
3545-3570/M24	




AI



BI




CI





DI

3550



3555





海峰模架
Haifeng Mould Base


大水口系统
SIDE GATE SYSTEM

面板宽度/Plate With	PW
直身模/H-Type	350
工字模/I-Type	400


标准方铁/Spacer Block	100
加高方铁/Higher Spacer Block	120/150

AB板厚度/AB Plate Thickness					
40	50	60	70	80	90
100	110	120	130	140	150


吊环丝孔/Eyebolt	
3535-3540/M20	
3545-3570/M24	




AI



BI




CI





DI

3560



3570





海峰模架
Haifeng Mould Base

大水口系统
SIDE GATE SYSTEM



面板宽度/Plate With	PW
直身模/H-Type	400
工字模/I-Type	450

标准方铁/Spacer Block	120
加高方铁/Higher Spacer Block	150/180


AB板厚度/AB Plate Thickness					
40	50	60	70	80	90
100	110	120	130	140	150

吊环丝孔/Eyebolt	M24
--------------	-----


4040




AI




BI



CI



DI





海峰模架
Haifeng Mould Base


大水口系统
SIDE GATE SYSTEM

面板宽度/Plate With	PW
直身模/H-Type	400
工字模/I-Type	450


标准方铁/Spacer Block	120
加高方铁/Higher Spacer Block	150/180

AB板厚度/AB Plate Thickness					
40	50	60	70	80	90
100	110	120	130	140	150


吊环丝孔/Eyebolt	
4045-4050/M24/M12	
4055-4070/M30/M12	




AI



BI




CI





DI

4060



4070





海峰模架
Haifeng Mould Base

大水口系统
SIDE GATE SYSTEM



面板宽度/Plate With	PW
直身模/H-Type	450
工字模/I-Type	550

标准方铁/Spacer Block	120
加高方铁/Higher Spacer Block	150/180


AB板厚度/AB Plate Thickness				
50	60	70	80	90
100	110	120	130	140
150	160	170	180	

吊环丝孔/Eyebolt	M30 M16 M12
--------------	-------------------


4545




AI



BI




CI




DI

4550



4555





海峰模架
Haifeng Mould Base


大水口系统
SIDE GATE SYSTEM

面板宽度/Plate With	PW
直身模/H-Type	450
工字模/I-Type	550


标准方铁/Spacer Block	120
加高方铁/Higher Spacer Block	150/180

AB板厚度/AB Plate Thickness				
50	60	70	80	90
100	110	120	130	140
150	160	170	180	


吊环丝孔/Eyebolt	M30 M16 M12
--------------	-------------------




AI



BI




CI




DI

4560



4570





海峰模架
Haifeng Mould Base


大水口系统
SIDE GATE SYSTEM

面板宽度/Plate With	PW
直身模/H-Type	500
工字模/I-Type	600


标准方铁/Spacer Block	120
加高方铁/Higher Spacer Block	150/180

AB板厚度/AB Plate Thickness				
50	60	70	80	90
100	110	120	130	140
150	160	170	180	


吊环丝孔/Eyebolt	M30 M16 M12
--------------	-------------------




AI



BI




CI




DI

5050



5055





海峰模架
Haifeng Mould Base


大水口系统
SIDE GATE SYSTEM

面板宽度/Plate With	PW
直身模/H-Type	500
工字模/I-Type	600


标准方铁/Spacer Block	120
加高方铁/Higher Spacer Block	150/180

AB板厚度/AB Plate Thickness				
50	60	70	80	90
100	110	120	130	140
150	160	170	180	


吊环丝孔/Eyebolt	M30 M16 M12
--------------	-------------------




AI



BI




CI




DI

5060



5070





海峰模架
Haifeng Mould Base


大水口系统
SIDE GATE SYSTEM

面板宽度/Plate With	PW
直身模/H-Type	550
工字模/I-Type	650


标准方铁/Spacer Block	120
加高方铁/Higher Spacer Block	150/180

AB板厚度/AB Plate Thickness				
70	80	90	100	110
120	130	140	150	160
170	180	200		


吊环丝孔/Eyebolt	
5555-5570/M30/M16	
5575-5580/M36/M16	




AI



BI




CI




DI


5555



5560



5565





海峰模架
Haifeng Mould Base


大水口系统
SIDE GATE SYSTEM

面板宽度/Plate With	PW
直身模/H-Type	550
工字模/I-Type	650


标准方铁/Spacer Block	120
加高方铁/Higher Spacer Block	150/180

AB板厚度/AB Plate Thickness				
70	80	90	100	110
120	130	140	150	160
170	180	200		


吊环丝孔/Eyebolt	
5555-5570/M30/M16	
5575-5580/M36/M16	




AI



BI




CI




DI


5570



5575



5580





海峰模架
Haifeng Mould Base

大水口系统
SIDE GATE SYSTEM


面板宽度/Plate With	PW
直身模/H-Type	600
工字模/I-Type	700

标准方铁/Spacer Block	150
加高方铁/Higher Spacer Block	180/210


AB板厚度/AB Plate Thickness				
70	80	90	100	110
120	130	140	150	160
170	180	200		

吊环丝孔/Eyebolt	M36/M16
--------------	---------


6060



6070



6065





海峰模架
Haifeng Mould Base

大水口系统
SIDE GATE SYSTEM



面板宽度/Plate With	PW
直身模/H-Type	600
工字模/I-Type	700

标准方铁/Spacer Block	150
加高方铁/Higher Spacer Block	180/210


AB板厚度/AB Plate Thickness				
70	80	90	100	110
120	130	140	150	160
170	180	200		

吊环丝孔/Eyebolt	M36/M16
--------------	---------


6075




AI



BI



CI



DI

6080

